



SNR Bearing Argentina



MSE404BRHSATL Bearing 2D drawings and 3D CAD models

4.25 Inch | 107.95 Millimeter x 3.937 Inch | 100 Millimeter x 6.378 Inch | 162 Millimeter TIMKEN MSE404BRHSATL Pillow Block Bearings

Bearing No. MSE404BRHSATL

| | |
|---------------------------|--|
| Category | Pillow Block Bearings |
| Inventory | 0.0 |
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| Weight | 76.18 |
| EAN | 0013992057570 |
| Product Group | B04144 |
| Number of Mounting Holes | 4 |
| Mounting Method | Clamp Collar |
| Housing Style | 4 Bolt Pillow Block |
| Rolling Element | Cylindrical Roller Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-Expansion |
| Mounting Bolts | 24 Millimeter |
| Relubricatable | Yes |
| Insert Part Number | MSE404BR |
| Seals | Triple Lip Labyrinth |
| Housing Configuration | 2 Piece Split |
| Inch - Metric | Inch |
| Other Features | Single Row Medium Duty With Support Wide Inner Ring |
| Category | Pillow Block Bearings |
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.80 |
| | |



SNR Bearing Argentina

| Noun | Bearing |
|-------------------------------|---|
| Keyword String | Pillow Block |
| Manufacturer URL | http://www.timken.com |
| Weight / LBS | 167.79 |
| d | 4.25 Inch 107.95 Millimeter |
| Bolt Spacing Minimum | 0 Inch 0Millimeter |
| Bolt Spacing Maximum | 0 Inch 0Millimeter |
| Actual Bolt Center to Center | 17.7 Inch 450Millimeter |
| D | 3.937 Inch 100 Millimeter |
| B | 6.378 Inch 162 Millimeter |
| Nominal Bolt Center to Center | 17.7 Inch 450 Millimeter |
| Shaft Size | 4.25 in |
| Seal Type | Aluminium Triple Labyrinth |
| Bearing Type | Split Cylindrical Retained Type |
| Support Type | Four-Bolt Plummer Block |
| Series Type | Medium Series |
| Pillow/Plummer Block Style | Split Cylindrical Housed Unit - Standard |
| Bolt Size | 4 x M24 |
| Weight | 168 lb |
| Dimension H | 6.378 in |
| Dimension H1 | 1.5 in |
| Dimension H2 | 14.6 in |
| Dimension J | 17.7 in |
| Dimension K | 4.7 in |
| Dimension L | 20.0 in |
| Dimension M | 7.0 in |
| Housing Width | 6.4 in |
| Cr - Dynamic Load Rating | 102063 lbf |



SNR Bearing Argentina

| | |
|--------------------------|---|
| Cor - Static Load Rating | 133087 lbf |
| Ca - Axial Load Rating | 7014 lbf |
| Maximum Speed | 1820 rpm |
| Note | This product line was formerly known as " Revolve " |